

## HEADER TRAILERS FROM THE HARVESTING TECHNICAL SPECIALIST





always one step ahead!

### BISO PRODUCES **HEADER TRAILERS** IN DIFFERENT DESIGNS SINCE THE YEAR 1993 AND THEREFORE HAS MUCH EXPERIENCE AND KNOW HOW IN THIS TECHNIQUE.



### ONE MANUFACTURER FOR ALL HEADERS

The 4 different models allow our customers to find the suitable trailer for small and also large headers up to 16 m cutting width. In addition each trailer can be equipped individually with different options, and so each farmer can choose the best package for himself.

#### > INCREASING DEMANDS ON HEADER TRAILERS

As the headers are getting wider and also the combines are running faster, also the demands on header trailers are increasing. We have accepted this challenge and with the market introduction of the PROFI STEER trailer with rear axle steering we can now offer the perfect trailer for large headers with optimal manoeuvrability. Of course all of our trailers are optionally available with type approval for 40 km/h.

### SUPPORTS AVAILABLE IN COLOR OF THE COMBINE


The main beam, the axle and the light bar of the trailers are carried out in neutral, black color. The supports for the header are painted in yellow BISO color as standard. On request and without extra charge they are also available in color of the combine. That gives a perfect color grade to your header/trailer combination.

#### SUPPORTS EASILY MOVEABLE IF REQUIRED

The heart of each trailer are the supports. Our machine-welded supports are adjusted for each header type and ensure the optimal support on the trailer. A big plus is the easy adjustment of angle and position of the supports.

### EASY AND COMFORTABLE LOCKING

A big plus is the easy operable locking of the header on the trailer. Only a simple attaching lever has to be moved. When designing we set highest priority in a big tolerance range for loading and unloading of the header.





# CONTENTS

04

## PROFI STEER

- + Suitable for header widths up to 16 m and 6.000 kg max. permissible total weight
- + Perfect manoeuvrability through the rear steering axle with integral hydraulic system
- + Wide front axle





## PROFI

- + Suitable for header widths up to 10,7 m and 4.500 kg max. permissible total weight
- + Optimal positioning of the rear axle, no collision with the feeder house
- + Smooth and easy manoeuvrability

# 08

| (

12

13

14

15

## TANDEM

- + Suitable for header widths up to 9,15 m and 3.650 kg max. permissible total weight
- + Smooth handling
- + Extendable drawbar

## SWIFT

- + Suitable for header widths up to 7 m and 3.100 kg max. permissible total weight
- + Extendable drawbar

## OPTIONAL HIGHLIGHTS

USERFRIENDLY DETAILS

**BISO TRAILERS FOR CLAAS HEADERS** 


BISO TRAILERS FOR VX CROP RANGER AND ULTRALIGHT HEADERS





The **PROFI STEER is the Ultimate under the header trailers**. The trailer is characterized by the hydraulic rear steering axle, which ensures an **excellent manoeuvrability** even in tight corners or going around roundabouts, so **moving of large headers with a combine or tractor is now easy**. Further advantages are the front axle with full width for better driving comfort and the lower structure of the turntable, which shortens the total length of the trailer.

- > Suitable for header widths up to 16 m and 5.600 kg max. permissible total weight
- > Perfect manoeuvrability through the rear steering axle with integral hydraulic system
- > Optimal supports for all header types
- > Drawbar adjustable in height
- > Supports with angle adjustment
- > Overrunning- and parking brake
- > TÜV certification and type approval up to 25 km/h (40 km/h Option)
- > No hydraulic- and brake lines under the frame
- > Tyres 260/70/15,3 14 Ply
- > Supports available in color of the combine (Option)
- > Transport box for side knives 1,8 x 1,2 x 0,3 m (Option)





FRONT AXLE WITH FULL WIDTH

LOWER STRUCTURE OF THE TURNTABLE shortens the total length

REAR STEERING AXLE USING INTEGRAL HYDRAULIC SYSTEM for perfect following




> The BISO PROFI STEER is the perfect trailer for big headers. This trailer is equipped with the rear steering axle, so moving of large headers with a combine or tractor is now easy. Further, the trailer has excellent manoeuvrability even in tight corners or going around roundabouts. I can highly recommend the PROFI STEER for cutting width of 10,7 m.<


LORENZ RINDLER, 18519 SUNDHAGEN, GERMANY



The BISO **PROFI** trailer is suitable for cutting widths up to 10,7 m. The trailer is attractive for its **smooth and comfortable manoeuvrability** due to the two axles with turntable at the front. The optimal positioning of the rear axle outside of the feeder house **prevents collisions** when loading or unloading the header.

- > Suitable for header widths up to 10,7 m and 4.500 kg max. permissible total weight
- > Smooth and easy manoeuvrability
- > Optimal supports for all header types
- > Supports with angle adjustment
- > TÜV certification and type approval up to 25 km/h (40 km/h Option)
- > Overrunning- and parking brake
- > Tyres 260/70/15,3 14 Ply
- > Reinforced brake up to 5.600 kg max. permissible total weight (Option)
- > Additional supports (Option)
- > Supports available in color of the combine (Option)
- > Transport box for side knives 1,8 x 1,2 x 0,3 m (Option)





TURNTABLE

QUICK FASTENER

OPTIMAL POSITIONING OF THE REAR AXLE no collision with the feeder house

The main advantage of the PROFI trailer is the quiet running behind my combine with and without rape seed extension. The big distance between front and back axle simplifies connecting and disconnecting the header with the combine.
I can recommend the PROFI trailer at all.


MR. HOMMEL, AGRAR ASSOCIATION KRIEPITZ, 01920 ELSTRA, GERMANY



## **BISO TANDEM**

The BISO **TANDEM** trailer is suitable for cutting widths up to 9,15 m. The Tandem axle allows the **very good weight distribution** and **reversing without problems**.

- > Suitable for header widths up to 9,15 m and 3.650 kg max. permissible total weight
- > TÜV certification and type approval up to 25 km/h (40 km/h Option)
- > Low tyres 225/55 B12
- > Optimal weight distribution of the header
- > Perfect fixing with simple quick fasteners
- > Smooth handling
- > Overrunning brake (Option)
- > Parking brake (Option)
- > Winch for drawbar eye (Option)
- > Additional support (Option)
- > Supports available in color of the combine (Option)
- > Transport box for side knives 1,8 x 1,2 x 0,3 m (Option)





EXTENDABLE DRAWBAR FOR ALL HEADER WIDTHS OPTIMAL SUPPORTS FOR ALL HEADER TYPES LIGHT BAR POSITIONED HIGHER


> We bought for harvest 2013 a new combine with a BISO TANDEM trailer. This trailer follows perfect behind our combine and we are very happy with it. We like also the integrated overrunnig brake.<





The **economical SWIFT** trailer with extendable axle is suitable for cutting width up to 7,3 m. Both axle and supports are freely movable and adjustable depending on customer requirements and allow an **optimal adaptation to each header**.

- > Suitable for header widths up to 7,3 m and 3.100 kg max. permissible total weight
- > TÜV certification and type approval up to 25 km/h (40 km/h Option)
- > Tyres 260/70/15,3 14 Ply
- > Perfect fixing with simple quick fasteners
- > Overrunning brake (Option)
- > Parking brake (Option)
- > Low tyres 23 x 9-10 20 Ply (Option)
- > Extendable axle for easier taking-off of the header (Option)
- > Winch for drawbar eye (Option)
- > Transport box for side knives 1,8 x 1,2 x 0,3 m (Option)
- > Additional support (Option)
- > Supports available in color of the combine (Option)





EXTENDABLE DRAWBAR FOR ALL HEADER WIDTHS

OPTIMAL SUPPORTS FOR ALL HEADER TYPES AXLES ADJUSTABLE IN HEIGHT



> In 2013 we bought a BISO headertrailer with brake from Baywa. It follows perfect behind our combine and we are satisfied with it.<

MR. DÜCHS, 97244 BÜTTHARD, GERMANY

## OPTIONAL HIGHLIGHTS

BISO header trailers can be equipped with lots of different options. So every customer can buy his trailer fitting exactly for his requirements.



OVERRUNNING- AND PARKING BRAKE FOR SWIFT AND TANDEM For better driving comfort



WINCH FOR SWIFT AND TANDEM For pulling of the trailer when attaching



**EXTENDABLE AXLE FOR SWIFT** To avoid collisions with the feeder house when loading or unloading and to ensure a wide and secure wheel base



TRANSPORT BOX 1,8 X 1,2 X 0,3 M That parts like side knife consoles are always ready to hand




LOW TYRES FOR SWIFT Absolutely necessary for combines with limited lifting



**40 KM/H DESIGN (MUDGUARDS, FOUR-WHEEL BRAKE ETC.)** Available for all BISO header trailers

## USERFRIENDLY DETAILS

BISO header trailers are characterized by many details, which enable easy handling for our customers.




OPTIMAL ADJUSTED SUPPORTS FOR EACH HEADER For safe putting on the trailer



EASY TO BE OPERATED, SAFE LOCKING With large tolerances when loading and unloading the header



**BISO SPIKE PROFILES** For easy and perfect adjusting of the right angle



WHEEL CHOCKS For securing on uneven ground



EASY MOVABLE DRAWBAR For perfect adaptation to each header width at SWIFT and TANDEM trailer



HIGHER POSITIONED LIGHT BAR To avoid damages at steep field entrances

## BISO TRAILERS FOR CLAAS HEADERS

BISO header trailers are perfectly adapted to the different Claas headers and guarantee a safe transport and easy locking system.

The selection chart below shows you the right selection of BISO trailers for the different New Holland headers.

#### (3) ... third support recommended **BISO HEADER TRAILERS** SWIFT Supports TANDEM PROFI Supports PROFI STEER Supports Supports C370 Х 2 C430 Х 2 C490 Х 2 2 2 C-Series Х Х C540 **CLAAS HEADERS** C600 Х 2(3) Х 2 Х 2 C660 Х 2 Х 2 2 C750 Х Х 2(3) Х 2(3) Х Х 2 2 V540 2 2 V600 Х 2 Х Х V660 Х 2 Х 2 Х 2 V750 Х 2(3) 2(3) Х 2(3) Х V-Series V900 Х 3 Х 3 V1050 Х 4 Х 4 V1200 Х 4



## BISO TRAILERS FOR VX CROP RANGER AND ULTRALIGHT HEADERS

BISO offers its varioheaders VX CROP RANGER and ULTRALIGHT for Claas combines as well. This headers have lots of technical advantages, are easy to work with and rise the output of the whole combine.

The selection chart below shows you the right selection of BISO trailers for VX CROP RANGER and ULTALIGHT headers.

			SWIFT	Supports	TANDEM	Supports	PROFI	Supports	PROFI STEER	Supports
BISO HEADERS	VX CROP RANGER	370	Х	2	Х	2				
		450	Х	4	Х	4	Х	4		
		500	Х	4	Х	4	Х	4		
		550	Х	4	Х	4	Х	4		
		600			Х	4	Х	4		
		650			Х	4	Х	4		
		750					Х	4		
		850					Х	4		
		900					Х	4	Х	4
	ULTRALIGHT	1070							Х	4
		1230							Х	4
		1400							Х	6
		1600							Х	6

### BISO HEADER TRAILERS



WITH OUR TRAILERS YOU CAN TRANSPORT YOUR HEADER SAFELY TO THE FIELD



BISO Schrattenecker Gmbh Kammer 26 4974 Ort im Innkreis / Austria

Phone: +43/7751/7911-21 e-mail: verkauf.ort@biso.at

www.biso.at



always one step ahead!